




Cambridge O Level
Chemistry
5070/42
(Oct/Nov 2018)

For a comprehensive collection of Cambridge O Level resources; date sheets, past papers, and recommended Books, please visit our website or feel free to reach out to us.



CHEMISTRY

5070/42

Paper 4 Alternative to Practical

October/November 2018

MARK SCHEME

Maximum Mark: 60

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **9** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Question	Answer	Marks
1	A: beaker (1) B: measuring cylinder(1)	2

Question	Answer	Marks												
2(a)	<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>M1 brown liquid (1)</td> <td>M2 hydrogen (1)</td> <td></td> </tr> <tr> <td></td> <td>M3 bubbles of yellow / green (gas) (1)</td> <td></td> <td>M4 pink / brown / solid (1)</td> </tr> </table>						M1 brown liquid (1)	M2 hydrogen (1)			M3 bubbles of yellow / green (gas) (1)		M4 pink / brown / solid (1)	4
	M1 brown liquid (1)	M2 hydrogen (1)												
	M3 bubbles of yellow / green (gas) (1)		M4 pink / brown / solid (1)											
2(b)	M1 damp litmus / damp Universal Indicator paper (1) M2 bleached / turns white / turns colourless (1)	2												

Question	Answer	Marks
3(a)	particle size / surface area / catalyst	1
3(b)(i)	heat is lost (from the beaker) / calcium carbonate is at a lower temperature	1
3(b)(ii)	thermostatically controlled water bath	1
3(c)(i)	3	1
3(c)(ii)	repeat the experiment / plot a graph and see if the point lies on the line or curve	1
3(c)(iii)	rate increases as time decreases OR reverse argument	1
3(c)(iv)	5	1
3(c)(v)	rate increases as temperature increases	1
3(d)	time too small to measure	1

Question	Answer	Marks
4	<p>M1 hydrochloric acid magnesium ribbon bubbles / fizzes / effervesces / solid dissolves / solid disappears (1)</p> <p>M2 sodium sulfite dilute nitric acid or hydrochloric acid (to the two remaining solutions) and warm: sulfur dioxide / SO₂ evolved (1) OR aqueous barium nitrate: a white precipitate forms which dissolves in nitric acid OR a white precipitate forms which dissolves in hydrochloric acid (1)</p> <p>M3 sodium sulfate white precipitate with acidified barium nitrate (1)</p>	3

Question	Answer	Marks																				
5(a)	1.84 (g)	1																				
5(b)(i)	more than enough to react with all the iron	1																				
5(b)(ii)	<p>Marks are stand-alone within each of the two alternatives</p> <p>M1 no flames / use electric heater or water bath (1) M2 hydrogen is flammable / hydrogen is explosive (1)</p> <p>OR</p> <p>M1 safety goggles (1) M2 hot acid is corrosive (1)</p>	2																				
5(b)(iii)	stir / shake	1																				
5(c)(i)	filtration / centrifugation	1																				
5(c)(ii)	<p>M1 wash contents of beaker with water and transfer washings (to flask) (1) M2 repeat/ do more than once (1)</p>	2																				
5(d)(i)	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">titration number</th> <th style="text-align: center;">1</th> <th style="text-align: center;">2</th> <th style="text-align: center;">3</th> </tr> </thead> <tbody> <tr> <td style="text-align: left;">final burette reading / cm³</td> <td style="text-align: center;">25.6</td> <td style="text-align: center;">28.2</td> <td style="text-align: center;">36.3</td> </tr> <tr> <td style="text-align: left;">initial burette reading / cm³</td> <td style="text-align: center;">0.0</td> <td style="text-align: center;">3.5</td> <td style="text-align: center;">11.4</td> </tr> <tr> <td style="text-align: left;">volume of P / cm³</td> <td style="text-align: center;">25.6</td> <td style="text-align: center;">24.7</td> <td style="text-align: center;">24.9</td> </tr> <tr> <td style="text-align: left;">best titration results (✓)</td> <td></td> <td style="text-align: center;">✓</td> <td style="text-align: center;">✓</td> </tr> </tbody> </table> <p>average volume = 24.8 cm³ (1)</p> <p style="text-align: right;">(3)</p>	titration number	1	2	3	final burette reading / cm ³	25.6	28.2	36.3	initial burette reading / cm ³	0.0	3.5	11.4	volume of P / cm ³	25.6	24.7	24.9	best titration results (✓)		✓	✓	4
titration number	1	2	3																			
final burette reading / cm ³	25.6	28.2	36.3																			
initial burette reading / cm ³	0.0	3.5	11.4																			
volume of P / cm ³	25.6	24.7	24.9																			
best titration results (✓)		✓	✓																			

Question	Answer	Marks
5(d)(ii)	M1 250 cm ³ would require too much of the solution in burette/burette may have to be filled during titration OR reverse argument (1) M2 One result may not be reliable / accurate (1)	2
5(e)	0.000496(moles) / 4.96 <input type="checkbox"/> 10 ⁻⁴	1
5(f)	0.00248(moles) / 2.48 <input type="checkbox"/> 10 ⁻³ ALLOW answer to (e) <input type="checkbox"/> 5	1
5(g)	0.0248 (moles) / 2.48 <input type="checkbox"/> 10 ⁻² ALLOW answer to (f) <input type="checkbox"/> 10	1
5(h)	1.39/1.4 (g) ALLOW answer to (g) <input type="checkbox"/> 56	1
5(i)	(1.3888 / 1.84 <input type="checkbox"/> 100 =) 75.5 / 76 ALLOW use of incorrect answer to (a) and /or (h) i.e. (h) / (a) <input type="checkbox"/> 100	1

Question	Answer	Marks
6(a)	(L) does not contain <u>ions</u> of a <u>transition metal</u> / (L) does not contain <u>ions</u> of a <u>transition element</u> / (L) does not contain a <u>compound</u> of a <u>transition metal</u> / (L) does not contain a <u>compound</u> of a <u>transition element</u>	1
6(b)	(i) white precipitate (1) (ii) soluble / dissolves / (forms colourless) solution (1) (iii) gas turns damp red litmus paper blue (1) ammonia (1)	4
6(c)	(i) white precipitate (ii) soluble / dissolves / (forms) solution	2
6(d)	M1 add dilute nitric acid / dilute HNO ₃ (1) M2 silver nitrate solution / aqueous silver nitrate / AgNO ₃ solution / aqueous AgNO ₃ (1) M3 white precipitate (1)	3

Question	Answer	Marks
7(a)	burette is more accurate OR reverse argument	1
7(b)	height of the precipitate had become constant / height of the precipitate would no longer change / amount of lead iodide would no longer change	1
7(c)	M1 all points plotted correctly (1) M2 one ruled line going through first 3 points (1) M3 one ruled line going through last 3 points and intersecting the first line (1)	3
7(d)(i)	13.0 (mm)	1
7(d)(ii)	5.4 (cm ³)	1
7(d)(iii)	7.0 (cm ³)	1
7(e)	Answers are based on the candidate's volume in (d)(iii) M1 (mol Pb(NO ₃) ₂ = 7.0 \square 1.0 \div 1000 =) 0.0070 / 7.0 \square 10 ⁻³ (1) M2 (mol KI = 0.0070 \square 2 =) 0.014 / 1.4 \square 10 ⁻² (1) M3 (concentration of KI = 0.014 \square 1000 \div 4.0 =) 3.5 (mol / dm ³) (1)	3